

Page 9 of 12

**WADSWORTH CENTER
NEW YORK STATE DEPARTMENT OF HEALTH
ENVIRONMENTAL LABORATORY APPROVAL PROGRAM**

Proficiency Test Report

Lab Id: 11642 USGS NATIONAL WATER QUALITY LABORATORY
 EPA Lab Code: POB 25046-MS 407-BLDG 95
 COC0009 DENVER, CO-80225-0046
 UNITED STATES
 (303) 236-2000
 Director: MR. MERLE SHOCKEY

Shipment Date : 18-Jul-2005
 Closing Date : 01-Sep-2005
 Score Date : 21-Sep-2005

This report may contain data that are not covered by the NVLAP accreditation.

** Indicates NVLAP accredited analyte evaluated using the USEPA's National Standards for Water Proficiency Testing Studies Criteria Document.
 NVLAP Lab Code 200387-0.

Shipment: 285 Non Potable Water Chemistry

Analyte Name	Units	Sample ID	Method	Result	Mean/Target *	Warning Limits	Acceptance Limits	Score
Sample: Non Potable Water Organic Nutrients								
Kjeldahl Nitrogen, Total ** EPA Code: 0034	mg/L	8504	USGS I-4515-91	8.38	8.37 *	6.48 - 10.0	5.59 - 10.9 <i>90 passed out of 97 reported results.</i>	Satisfactory
Phosphorus, Total ** EPA Code: 0035	mg/L	8504	USGS I-4610-91	1.445	1.42 *	1.22 - 1.67	1.11 - 1.78 <i>113 passed out of 121 reported results.</i>	Satisfactory
Sample: Non Potable Water Organophosphate Pesticides								
Azinphos methyl EPA Code: N/A	ug/L	8512	USGS O-1126-95	3.21	3.64		1.04 - 6.24 <i>7 passed out of 7 reported results.</i>	Satisfactory
Diazinon EPA Code: N/A	ug/L	8512	USGS O-1126-95	5.55	5.55		3.40 - 7.70 <i>6 passed out of 6 reported results.</i>	Satisfactory
Disulfoton EPA Code: N/A	ug/L	8512	USGS O-1126-95	5.94	6.73		4.38 - 9.08 <i>7 passed out of 7 reported results.</i>	Satisfactory
Malathion EPA Code: N/A	ug/L	8512	USGS O-1126-95	12.6	11.5		8.44 - 14.6 <i>6 passed out of 7 reported results.</i>	Satisfactory
Parathion ethyl EPA Code: N/A	ug/L	8512	USGS O-1126-95	1.66	2.00		1.21 - 2.79 <i>7 passed out of 8 reported results.</i>	Satisfactory
Parathion methyl EPA Code: N/A	ug/L	8512	USGS O-1126-95	6.85	7.62		4.35 - 10.9 <i>7 passed out of 8 reported results.</i>	Satisfactory
Sample: Non Potable Water Chlorinated Hydrocarbon Pesticides								
4,4-DDE ** EPA Code: N/A	ug/L	8517	USGS O-1126-95	2.13	2.89 *	1.68 - 3.42	1.25 - 3.86 <i>65 passed out of 69 reported results.</i>	Satisfactory
alpha-BHC EPA Code: N/A	ug/L	8517	USGS O-1126-95	3.09	2.60		1.04 - 4.15 <i>69 passed out of 70 reported results.</i>	Satisfactory